European Journal of Soil Science, December 2004, **55**, 817–819

Author index

Abdou, H.M. & Flury, M. Simulation of water flow and solute transport in free-drainage lysimeters and field soils with heterogeneous structures, 229
Adamo, P. *see* Renella, G.
Addiscott, T.M. *see* Lark, R.M.
Agbenin, J.O. Free energy and kinetics of dissolution of Sokoto rock phosphate and the implications for replenishing phosphorus in the savanna soil of Nigeria, 55
Allard, Th. *see* do Nascimento, N.R.
Amelung, W. *see* Bol, R.
Arunin, S. *see* Boivin, P.
Astolfo, R. *see* do Nascimento, N.R.

Baillie, I.C., Tshering, K., Tshering Dorji, Tamang, H.B., Tsheten Dorji, Norbu, C., Hutcheon, A.A. & Bäumler, R. Regolith and soils in Bhutan, Eastern Himalayas, 9
Balabane, M. & Plante, A.F. Aggregation and carbon storage in silty soil using physical fractionation techniques, 415
Balabane, M. *see* Plante, A.F.
Bang, M. *see* Gimsing, A.L.
Bartoli, F. *see* Poulenard, J.
Bäumler, R. *see* Baillie, I.C.
Beese, F. *see* Teepe, R.
Benizri, E. *see* Dedourge, O.
Bhupinderpal-Singh, Hedley, M.J., Saggar, S. & Francis, G.S. Chemical fractionation to characterize changes in sulphur and carbon in soil caused by management, 79
Bianco, M.R. *see* Renella, G.
Blaser, P. *see* Hagedorn, F.
Bogaert, P. *see* D'Or, D.
Boivin, P., Saejiew, A., Grunberger, O. & Arunin, S. Formation of soils with contrasting textures by translocation of clays rather than ferrolysis in flooded rice fields in Northeast Thailand, 713
Bol, R., Amelung, W. & Friedrich, C. Role of aggregate surface and core fraction in the sequestration of carbon from dung in a temperate grassland soil, 71
Bol, R. *see* Kalbitz, K.
Borggaard, O.K. *see* Gimsing, A.L.
Bossuyt, H., Six, J. & Hendrix, P.F. Rapid incorporation of carbon from fresh residues into newly formed stable microaggregates within earthworm casts, 393
Boucher, H. *see* do Nascimento, N.R.
Bourrié, G. *see* Neaman, A.
Bruand, A. *see* Samouëlian, A.
Bruijnzeel, L.A. *see* Van Dijk, A.I.J.M.
Brümmer, G.W. *see* Thiele-Bruhn, S.
Buekers, J. *see* Degryse, F.
Bueno, G.T. *see* do Nascimento, N.R.
Burns, R.G. *see* Taylor, J.P.
Butnor, J.R. & Johnsen, K.H. Calibrating soil respiration measures with a dynamic flux apparatus using artificial soil media of varying porosity, 639

Chaplain, V. *see* Dur, J.C.
Chenu, C. *see* Plante, A.F.
Cong, P.T. *see* Maertens, E.
Cousin, I. *see* Samouëlian, A.
Cremers, A. *see* Degryse, F.
Crout, N.M.J. *see* Tye, A.M.
Cullis, B.R. *see* Lark, R.M.

Dassonville, F., Renault, P. & Vallès, V. A model describing the interactions between anaerobic microbiology and geochemistry in a soil amended with glucose and nitrate, 29
De Brouwere, K., Smolders, E. & Merckx, R. Soil properties affecting solid–liquid distribution of As(V) in soils, 165
Dedourge, O., Vong, P.-C., Lasserre-Joulin, F., Benizri, E. & Guckert, A. Effects of glucose and rhizodeposits (with or without cysteine-S) on immobilized-^{35}S, microbial biomass-^{35}S and arylsulphatase activity in a calcareous and an acid brown soil, 649
Degryse, F., Buekers, J. & Smolders, E. Radio-labile cadmium and zinc in soils as affected by pH and source of contamination, 113
Degryse, F., Smolders, E. & Cremers, A. Enhanced sorption and fixation of radiocaesium in soils amended with K-bentonites, submitted to wetting–drying cycles, 513
Degryse, F. *see* Maertens, E.
de Jong, M.A. *see* Naafs, D.F.W.
de Leeuw, J.W. *see* Naafs, D.F.W.
Delgado, G. *see* Sánchez-Marañón, M.
Delgado, R. *see* Sánchez-Marañón, M.
de Wever, H. *see* Strong, D.T.
Díaz-Barrientos, E. *see* Madrid, L.
do Nascimento, N.R., Bueno, G.T., Fritsch, E., Herbillon, A.J., Allard, Th., Melfi, A.J., Astolfo, R., Boucher, H. & Li, Y. Podzolization as a deferralitization process: a study of an Acrisol–Podzol sequence derived from Palaeozoic sandstones in the northern upper Amazon Basin, 523
D'Or, D. & Bogaert, P. Spatial prediction of categorical variables with the Bayesian Maximum Entropy approach: the Ooypolder case study, 763
Dur, J.C., Elsass, F., Chaplain, V. & Tessier, D. The relationship between particle-size distribution by laser granulometry and image analysis by transmission electron microscopy in a soil clay fraction, 265

Ellerbrock, R.H. & Gerke, H.H. Characterizing organic matter of soil aggregate coatings and biopores by Fourier transform infrared spectroscopy, 219
Elsass, F. *see* Dur, J.C.
Esala, M. *see* Regina, K.
Eusterhues, K. *see* Jandl, G.

Ferrara, G., Loffredo, E. & Senesi, N. Anticlastogenic, antitoxic and sorption effects of humic substances on the mutagen maleic hydrazide tested in leguminous plants, 449
Flury, M. *see* Abdou, H.M.
Francis, G.S. *see* Bhupinderpal-Singh
Friedrich, C. *see* Bol, R.
Fritsch, E. *see* do Nascimento, N.R.
Fullen, M.A. *see* McCrea, A.R.

García-González, M.T. *see* Illera, V.
Garrido, F. *see* Illera, V.
Gerke, H.H. *see* Ellerbrock, R.H.
Gessa, C. *see* Pusino, A.
Gimsing, A.L., Borggaard, O.K. & Bang, M. Influence of soil composition on adsorption of glyphosate and phosphate by contrasting Danish surface soils, 183
Glaser, B. *see* Kalbitz, K.
Godbold, D.L. *see* van Hees, P.A.W.
Goulding, K.W.T. *see* Lark, R.M.
Grant, C.D. *see* Groenevelt, P.H.
Groenevelt, P.H. & Grant, C.D. A new model for the soil-water retention curve that solves the problem of residual water contents, 479
Grunberger, O. *see* Boivin, P.
Guckert, A. *see* Dedourge, O.
Guérin, R. *see* Samouëlian, A.

Hagedorn, F., Saurer, M. & Blaser, P. A ^{13}C tracer study to identify the origin of dissolved organic carbon in forested mineral soils, 91
Hallett, P.D. *see* Zhang, B.

© 2004 British Society of Soil Science

Hannukkala, A. *see* Regina, K.
Hedley, M.J. *see* Bhupinderpal-Singh
Hendrix, P.F. *see* Bossuyt, H.
Herbillon, A.J. *see* do Nascimento, N.R.
Hopmans, J.W. *see* Tuli, A.
Huang, J.-H. & Matzner, E. Adsorption and desorption of organotin compounds in organic and mineral soils, 693
Hutcheon, A.A. *see* Baillie, I.C.

Ilg, K. *see* Siemens, J.
Illera, V., Garrido, F., Serrano, S. & Garcia-González, M.T. Immobilization of the heavy metals Cd, Cu and Pb in an acid soil amended with gypsum- and lime-rich industrial by-products, 135
Illera, V., Garrido, F., Vizcayno, C. & Garcia-González, M.T. Field application of industrial by-products as Al toxicity amendments: chemical and mineralogical implications, 681

Jahn, R. *see* Kleber, M.
Jahn, R. *see* Vetterlein, D.
Jandl, G., Leinweber, P., Schulten, H.-R. & Eusterhues, K. The concentrations of fatty acids in organo-mineral particle-size fractions of a Chernozem, 459
Jansen, B., Nierop, K.G.J. & Verstraten, J.M. Mobilization of dissolved organic matter, aluminium and iron in podzol eluvial horizons as affected by formation of metal-organic complexes and interactions with solid soil material, 287
Jentschke, G. *see* van Hees, P.A.W.
Johnsen, K.H. *see* Butnor, J.R.
Jones, D.L. *see* van Hees, P.A.W.

Kalbitz, K., Glaser, B. & Bol, R. Clear-cutting of a Norway spruce stand: implications for controls on the dynamics of dissolved organic matter in the forest floor, 401
Kasubuchi, T. *see* Momose, T.
Kaupenjohann, M. *see* Siemens, J.
Kim, Y. & Kirkpatrick, R.J. An investigation of phosphate adsorbed on aluminium oxyhydroxide and oxide phases by nuclear magnetic resonance, 243
Kirkpatrick, R.J. *see* Kim, Y.
Kleber, M., Mertz, C., Zikeli, S., Knicker, H. & Jahn, R. Changes in surface reactivity and organic matter composition of clay subfractions with duration of fertilizer deprivation, 381
Knicker, H. *see* Kleber, M.
Kounda-Kiki, C. *see* Vaçulik, A.

Landi, L. *see* Renella, G.
Lang, F. *see* Siemens, J.
Lark, R.M. & Cullis, B.R. Model-based analysis using REML for inference from systematically sampled data on soil, 799
Lark, R.M. & Webster, R. Analysing soil variation in two dimensions with the discrete wavelet transform, 777
Lark, R.M., Milne, A.E., Addiscott, T.M., Goulding, K.W.T., Webster, C.P. & O'Flaherty, S. Analysing spatially intermittent variation of nitrous oxide emissions from soil with wavelets and the implications for sampling, 601
Lark, R.M., Milne, A.E., Addiscott, T.M., Goulding, K.W.T., Webster, C.P. & O'Flaherty, S. Scale- and location-dependent correlation of nitrous oxide emissions with soil properties: an analysis using wavelets, 611
Lasserre-Joulin, F. *see* Dedourge, O.
Lawlor, A.J. *see* Smith, E.J.
Leinweber, P. *see* Jandl, G.
Li, Y. *see* do Nascimento, N.R.
Loffredo, E. *see* Ferrara, G.
Lofts, S. *see* Smith, E.J.
Longworth, H. *see* Smith, E.J.
Ludwig, B. *see* Teepe, R.
Lumsdon, D.G. Partitioning of organic carbon, aluminium and cadmium between solid and solution in soils: application of a mineral–humic particle additivity model, 271

Madrid, F. *see* Madrid, L.
Madrid, L., Diaz-Barrientos, E., Reinoso, R. & Madrid, F. Metals in urban soils of Sevilla: seasonal changes and relations with other soil components and plant contents, 209
Maertens, E., Thijs, A., Smolders, E., Degryse, F., Cong, P.T. & Merckx, R. An anion resin membrane technique to overcome detection limits of isotopically exchanged P in P-sorbing soils, 63
Mahieu, N. *see* Smernik, R.J.
Mariotti, A. *see* Plante, A.F.
Matzner, E. *see* Huang, J.-H.
McCrea, A.R., Trueman, I.C. & Fullen, M.A. Factors relating to soil fertility and species diversity in both semi-natural and created meadows in the West Midlands of England, 335
McGrath, S.P. *see* Tye, A.M.
Melfi, A.J. *see* do Nascimento, N.R.
Melgosa, M. *see* Sánchez-Marañón, M.
Merckx, R. *see* De Brouwere, K.
Merckx, R. *see* Maertens, E.
Merckx, R. *see* Strong, D.T.
Mertz, C. *see* Kleber, M.
Michel, J.C. *see* Poulenard, J.
Mills, M.S. *see* Taylor, J.P.
Milne, A.E. *see* Lark, R.M.
Mojid, M.A., Rose, D.A. & Wyseure, G.C.L. A transfer-function method for analysing breakthrough data in the time domain of the transport process, 699
Momose, T. & Kasubuchi, T. Estimation of the thermal separation of soil particles from the thermal conductivity under reduced air pressure, 193
Mouélé, F. *see* Neaman, A.

Naafs, D.F.W., van Bergen, P.F., de Jong, M.A., Oonincx, A. & de Leeuw, J.W. Total lipid extracts from characteristic soil horizons in a podzol profile, 657
Nannipieri, P. *see* Renella, G.
Neaman, A., Waller, B., Mouélé, F., Trolard, F. & Bourrié, G. Improved methods for selective dissolution of manganese oxides from soils and rocks, 47
Nierop, K.G.J. *see* Jansen, B.
Norbu, C. *see* Baillie, I.C.

O'Flaherty, S. *see* Lark, R.M.
Olk, D.C. *see* Smernik, R.J.
Oonincx, A. *see* Naafs, D.F.W.

Peng, X.H. *see* Zhang, B.
Pernes-Debuyser, A. & Tessier, D. Soil physical properties affected by long-term fertilization, 505
Petretto, S. *see* Pusino, A.
Plante, A.F., Chenu, C., Balabane, M., Mariotti, A. & Righi, D. Peroxide oxidation of clay-associated organic matter in a cultivation chronosequence, 471
Plante, A.F. *see* Balabane, M.
Podwojewski, P. *see* Poulenard, J.
Ponge, J.F. *see* Vaçulik, A.
Portal, J.M. *see* Poulenard, J.
Poulenard, J., Michel, J.C., Bartoli, F., Portal, J.M. & Podwojewski, P. Water repellency of volcanic ash soils from Ecuadorian páramo: effect of water content and characteristics of hydrophobic organic matter, 487
Preston, S. *see* Tye, A.M.
Pusino, A., Petretto, S. & Gessa, C. Sorption of primisulfuron on soil, and inorganic and organic soil colloids, 175

Recous, S. *see* Strong, D.T.
Regina, K., Syväsalo, E., Hannukkala, A. & Esala, M. Fluxes of N_2O from farmed peat soils in Finland, 591
Reinoso, R. *see* Madrid, L.
Renault, P. *see* Dassonville, F.

Renella, G., Adamo, P., Bianco, M.R., Landi, L., Violante, P. & Nannipieri, P. Availability and speciation of cadmium added to a calcareous soil under various managements, 123
Rey-Castro, C. *see* Smith, E.J.
Richard, G. *see* Samouëlian, A.
Righi, D. *see* Plante, A.F.
Rose, D.A. *see* Mojid, M.A.

Saejiew, A. *see* Boivin, P.
Saggar, S. *see* Bhupinderpal-Singh
Samouëlian, A., Richard, G., Cousin, I., Guérin, R., Bruand, A. & Tabbagh, A. Three-dimensional crack monitoring by electrical resistivity measurement, 751
Sánchez-Marañón, M., Soriano, M., Melgosa, M., Delgado, G. & Delgado, R. Quantifying the effects of aggregation, particle size and components on the colour of Mediterranean soils, 551
Sarthou, C. *see* Vaçulik, A.
Saurer, M. *see* Hagedorn, F.
Schmidt, M.W.I. *see* Wiesenberg, G.L.B.
Schulten, H.-R. *see* Jandl, G.
Schwark, L. *see* Wiesenberg, G.L.B.
Senesi, N. *see* Ferrara, G.
Serrano, S. *see* Illera, V.
Siemens, J., Ilg, K., Lang, F. & Kaupenjohann, M. Adsorption controls mobilization of colloids and leaching of dissolved phosphorus, 253
Six, J. *see* Bossuyt, H.
Smernik, R.J., Olk, D.C. & Mahieu, N. Quantitative solid-state ^{13}C NMR spectroscopy of organic matter fractions in lowland rice soils, 367
Smith, E.J., Rey-Castro, C., Longworth, H., Lofts, S., Lawlor, A.J. & Tipping, E. Cation binding by acid-washed peat, interpreted with Humic Ion-Binding Model VI-FD, 433 [Erratum p. 815]
Smolders, E. *see* De Brouwere, K.
Smolders, E. *see* Degryse, F.
Smolders, E. *see* Maertens, E.
Soriano, M. *see* Sánchez-Marañón, M.
Strong, D.T., de Wever, H., Merckx, R. & Recous, S. Spatial location of carbon decomposition in the soil pore system, 739
Syväsalo, E. *see* Regina, K.

Tabbagh, A. *see* Samouëlian, A.
Tamang, H.B. *see* Baillie, I.C.
Taylor, J.P., Mills, M.S. & Burns, R.G. Sorption and desorption behaviour of acetochlor in surface, subsurface and size-fractionated soil, 671
Teepe, R., Vor, A., Beese, F. & Ludwig, B. Emissions of N_2O from soils during cycles of freezing and thawing and the effects of soil water, texture and duration of freezing, 357
Tessier, D. *see* Dur, J.C.
Tessier, D. *see* Pernes-Debuyser, A.
Thiele-Bruhn, S. & Brümmer, G.W. Fractionated extraction of polycyclic aromatic hydrocarbons (PAHs) from polluted soils: estimation of the PAH fraction degradable through bioremediation, 567
Thijs, A. *see* Maertens, E.
Tipping, E. *see* Smith, E.J.
Trolard, F. *see* Neaman, A.
Trueman, I.C. *see* McCrea, A.R.
Tshering Dorji, *see* Baillie, I.C.
Tshering, K. *see* Baillie, I.C.
Tsheten Dorji, *see* Baillie, I.C.
Tuli, A. & Hopmans, J.W. Effect of degree of fluid saturation on transport coefficients in disturbed soils, 147
Tye, A.M., Young, S., Crout, N.M.J., Zhang, H., Preston, S., Zhao, F.J. & McGrath, S.P. Speciation and solubility of Cu, Ni and Pb in contaminated soils, 579

Vaçulik, A., Kounda-Kiki, C., Sarthou, C. & Ponge, J.F. Soil invertebrate activity in biological crusts on tropical inselbergs, 539
Vallès, V. *see* Dassonville, F.
van Bergen, P.F. *see* Naafs, D.F.W.
Van Dijk, A.I.J.M. & Bruijnzeel, L.A. Runoff and soil loss from bench terraces. 1. An event-based model of rainfall infiltration and surface runoff, 299
Van Dijk, A.I.J.M. & Bruijnzeel, L.A. Runoff and soil loss from bench terraces. 2. An event-based erosion process model, 317
van Hees, P.A.W., Jones, D.L., Jentschke, G. & Godbold, D.L. Mobilization of aluminium, iron and silicon by *Picea abies* and ectomycorrhizas in a forest soil, 101
Verstraten, J.M. *see* Jansen, B.
Vetterlein, D. & Jahn, R. Combination of micro suction cups and time-domain reflectometry to measure osmotic potential gradients between bulk soil and rhizosphere at high resolution in time and space, 497
Violante, P. *see* Renella, G.
Vizcayno, C. *see* Illera, V.
Vong, P.-C. *see* Dedourge, O.
Vor, A. *see* Teepe, R.

Waller, B. *see* Neaman, A.
Webster, C.P. *see* Lark, R.M.
Webster, R. *see* Lark, R.M.
Wiesenberg, G.L.B., Schwark, L. & Schmidt, M.W.I. Improved automated extraction and separation procedure for soil lipid analyses, 349
Wyseure, G.C.L. *see* Mojid, M.A.

Young, S. *see* Tye, A.M.

Zhang, B., Peng, X.H., Zhao, Q.G. & Hallett, P.D. Eluviation of dissolved organic carbon under wetting and drying and its influence on water infiltration in degraded soils restored with vegetation, 725
Zhang, H. *see* Tye, A.M.
Zhao, F.J. *see* Tye, A.M.
Zhao, Q.G. *see* Zhang, B.
Zikeli, S. *see* Kleber, M.

European Journal of Soil Science, December 2004, **55**, 821–824

Subject index

acetochlor, sorption and desorption behaviour of, in surface, subsurface and size-fractionated soil, 671
acid brown soil, effects of glucose and rhizodeposits (with or without cysteine-S) on immobilized-^{35}S, microbial biomass-^{35}S and arylsulphatase activity in a calcareous and an acid brown soil, 649
acid soil amended with gypsum- and lime-rich industrial by-products: immobilization of the heavy metals Cd, Cu and Pb in, 135
acid-washed peat, cation binding by, interpreted with Humic Ion-Binding Model VI-FD, 433 [Erratum p. 815]
Acrisol–Podzol sequence derived from Palaeozoic sandstones in the northern upper Amazon Basin, a study of, 523
adsorption
  controls mobilization of colloids and leaching of dissolved phosphorus, 253
  of glyphosate and phosphate by contrasting Danish surface soils: influence of soil composition on, 183
  of organotin compounds in organic and mineral soils, 693
aggregate surface and core fraction, role of, in the sequestration of carbon from dung in a temperate grassland soil, 71
aggregation
  in silty soil using physical fractionation techniques, 415
  quantifying the effects of, on the colour of Mediterranean soils, 551
air pressure, estimation of the thermal separation of soil particles from the thermal conductivity under reduced, 193
Al toxicity amendments, field application of industrial by-products as: chemical and mineralogical implications, 681
aluminium
  mobilization of, by *Picea abies* and ectomycorrhizas in a forest soil, 101
  mobilization of, in podzol eluvial horizons as affected by formation of metal-organic complexes and interactions with solid soil material, 287
  oxyhydroxide and oxide phases, an investigation by nuclear magnetic resonance of phosphate adsorbed on, 243
  partitioning of, between solid and solution in soils: application of a mineral–humic particle additivity model, 271
Amazon Basin (northern upper), a study of an Acrisol–Podzol sequence derived from Palaeozoic sandstones in, 523
anaerobic microbiology and geochemistry in a soil amended with glucose and nitrate: model describing the interactions between, 29
anion resin membrane technique to overcome detection limits of isotopically exchanged P in P-sorbing soils, 63
anticlastogenic, antitoxic and sorption effects of humic substances on the mutagen maleic hydrazide tested in leguminous plants, 449
arylsulphatase activity in a calcareous and an acid brown soil: effects of glucose and rhizodeposits (with or without cysteine-S) on, 649
As(V) in soils: soil properties affecting solid–liquid distribution of, 165
automated extraction and separation procedure, improved, for soil lipid analyses, 349
availability of cadmium added to a calcareous soil under various managements, 123

Bayesian Maximum Entropy approach, spatial prediction of categorical variables with: the Ooypolder case study, 763
Bhutan, Eastern Himalayas, regolith and soils in, 9
biological crusts on tropical inselbergs, soil invertebrate activity in, 539
biopores, characterizing organic matter of, by Fourier transform infrared spectroscopy, 219
bioremediation, estimation of the fraction of polycyclic aromatic hydrocarbons degradable through, in polluted soils, 567
Book reviews, 201, 629
breakthrough data, a transfer-function method for analysing, in the time domain of the transport process, 699

^{13}C NMR spectroscopy of organic matter fractions in lowland rice soils, 367
^{13}C tracer study to identify the origin of dissolved organic carbon in forested mineral soils, 91
cadmium
  availability and speciation of, added to a calcareous soil under various managements, 123
  immobilization of, in an acid soil amended with gypsum- and lime-rich industrial by-products, 135
  partitioning of, between solid and solution in soils: application of a mineral–humic particle additivity model, 271
  radio-labile, as affected by pH and source of contamination, 113
calcareous soil
  availability and speciation of cadmium added to, under various managements, 123
  effects of glucose and rhizodeposits (with or without cysteine-S) on immobilized-^{35}S, microbial biomass-^{35}S and arylsulphatase activity in a calcareous and an acid brown soil, 649
carbon
  decomposition in the soil pore system, spatial location of, 739
  in soil, chemical fractionation to characterize changes caused by management in, 79
  rapid incorporation of, from fresh residues into newly formed stable microaggregates within earthworm casts, 393
  sequestration from dung in a temperate grassland soil, role of aggregate surface and core fraction in, 71
  storage in silty soil using physical fractionation techniques, 415
categorical variables, spatial prediction of, with the Bayesian Maximum Entropy approach: the Ooypolder case study, 763
cation binding by acid-washed peat, interpreted with Humic Ion-Binding Model VI-FD, 433 [Erratum p. 815]
chemical fractionation to characterize changes in sulphur and carbon in soil caused by management, 79
Chernozem, concentrations of fatty acids in organo-mineral particle-size fractions of a, 459
clay-associated organic matter, peroxide oxidation of, in a cultivation chronosequence, 471
clear-cutting of a Norway spruce stand: implications for controls on the dynamics of dissolved organic matter in the forest floor, 401
colloids
  inorganic and organic, sorption of primisulfuron on soil and, 175
  mobilization of, adsorption controls, 253
colour of Mediterranean soils, quantifying the effects of aggregation, particle size and components on the, 551
contaminated soils, speciation and solubility of Cu, Ni and Pb in, 579
contamination, radio-labile cadmium and zinc in soils as affected by source of, 113
copper
  immobilization of, in an acid soil amended with gypsum- and lime-rich industrial by-products, 135
  speciation and solubility of, in contaminated soils, 579
crack monitoring, three-dimensional, by electrical resistivity measurement, 751
cultivation chronosequence, peroxide oxidation of clay-associated organic matter in a, 471

Danish surface soils, influence of soil composition on adsorption of glyphosate and phosphate by, 183
deferralitization as a podzolization process in the northern upper Amazon Basin, 523
degraded soils restored with vegetation: eluviation of dissolved organic carbon under wetting and drying and its influence on water infiltration in, 725
degree of fluid saturation, effect of, on transport coefficients in disturbed soils, 147
desorption of organotin compounds in organic and mineral soils, 693

© 2004 British Society of Soil Science

detection limits of isotopically exchanged P in P-sorbing soils, an anion resin membrane technique to overcome, 63
discrete wavelet transform, analysing soil variation in two dimensions with the, 777
dissolution of Sokoto rock phosphate, free energy and kinetics of, in the savanna soil of Nigeria, 55
dissolved organic carbon
in forested mineral soils, a ^{13}C tracer study to identify the origin of, 91
eluviation of, under wetting and drying and its influence on water infiltration in degraded soils restored with vegetation, 725
dissolved organic matter
implications for controls on the dynamics of, following clear-cutting of a Norway spruce stand, 401
mobilization of, in podzol eluvial horizons, as affected by formation of metal-organic complexes and interactions with solid soil material, 287
disturbed soils, effect of degree of fluid saturation on transport coefficients in, 147
dung, role of aggregate surface and core fraction in the sequestration of carbon from, in a temperate grassland soil, 71
dynamic flux apparatus, calibrating soil respiration measures with a, 639

earthworm casts, rapid incorporation of carbon from fresh residues into newly formed stable microaggregates within, 393
ectomycorrhizas in a forest soil, mobilization of aluminium, iron and silicon by *Picea abies* and, 101
Ecuadorian paramo, water repellency of volcanic ash soils from: effect of water content and characteristics of hydrophobic organic matter, 487
electrical resistivity measurement, three-dimensional crack monitoring by, 751
eluviation of dissolved organic carbon under wetting and drying and its influence on water infiltration in degraded soils restored with vegetation, 725
emissions of N_2O from soils during cycles of freezing and thawing and the effects of soil water, texture and duration of freezing, 357
England, factors relating to soil fertility and species diversity in both semi-natural and created meadows in the West Midlands of, 335
erosion processes, event-based model of, 317

fatty acids, concentrations of, in organo-mineral particle-size fractions of a Chernozem, 459
ferrolysis: formation of soils with contrasting textures by translocation of clays rather than ferrolysis, in flooded rice fields in Northeast Thailand, 713
fertilization, long-term, soil physical properties affected by, 505
fertilizer deprivation, changes in surface reactivity and organic matter composition of clay subfractions with duration of, 381
field application of industrial by-products as Al toxicity amendments: chemical and mineralogical implications, 681
field soils with heterogeneous structures: simulation of water flow and solute transport in, 229
Finland, fluxes of N_2O from farmed peat soils in, 591
fluid saturation, effect of degree of, on transport coefficients in disturbed soils, 147
forest soil, mobilization of aluminium, iron and silicon by *Picea abies* and ectomycorrhizas in, 101
forested mineral soils, a ^{13}C tracer study to identify the origin of dissolved organic carbon in, 91
Fourier transform infrared spectroscopy, characterizing organic matter of soil aggregate coatings and biopores by, 219
fractionated extraction of polycyclic aromatic hydrocarbons (PAHs) from polluted soils: estimation of the PAH fraction degradable through bioremediation, 567
free energy and kinetics of dissolution of Sokoto rock phosphate and the implications for replenishing phosphorus in the savanna soil of Nigeria, 55
freeze–thaw cycles, emissions of N_2O from soils during, and the effects of soil water, texture and duration of freezing, 357
freezing, effects of duration of, on emissions of N_2O from soils during freeze–thaw cycles, 357

glucose, effects of, on immobilized-^{35}S, microbial biomass-^{35}S and arylsulphatase activity in a calcareous and an acid brown soil, 649
glyphosate, influence of soil composition on adsorption of, by contrasting Danish surface soils, 183
Guidance to authors, 1

heavy metals, immobilization of, in an acid soil amended with gypsum- and lime-rich industrial by-products, 135
Himalayas (Eastern), regolith and soils in Bhutan, 9
Humic Ion-Binding Model VI-FD, cation binding by acid-washed peat, interpreted with, 433 [Erratum p. 815]
humic substances: anticlastogenic, antitoxic and sorption effects of, on the mutagen maleic hydrazide tested in leguminous plants, 449
hydrophobic organic matter, characteristics of: effect of, on water repellency of volcanic ash soils from Ecuadorian paramo, 487

image analysis by transmission electron microscopy: relationship between particle-size distribution by laser granulometry and, in a soil clay fraction, 265
immobilization of the heavy metals Cd, Cu and Pb in an acid soil amended with gypsum- and lime-rich industrial by-products, 135
immobilized-^{35}S in a calcareous and an acid brown soil, effects of glucose and rhizodeposits (with or without cysteine-S) on, 649
industrial by-products
as Al toxicity amendments, field application of: chemical and mineralogical implications, 681
immobilization of the heavy metals Cd, Cu and Pb in an acid soil amended with gypsum- and lime-rich, 135
inselbergs, tropical: soil invertebrate activity in biological crusts on, 539
interactions between anaerobic microbiology and geochemistry in a soil amended with glucose and nitrate, a model describing, 29
invertebrate activity in biological crusts on tropical inselbergs, 539
iron
mobilization of, by *Picea abies* and ectomycorrhizas in a forest soil, 101
mobilization of, in podzol eluvial horizons as affected by formation of metal-organic complexes and interactions with solid soil material, 287
isotopically exchanged P in P-sorbing soils, an anion resin membrane technique to overcome detection limits of, 63

K-bentonites, enhanced sorption and fixation of radiocaesium in soils amended with, 513

laser granulometry, particle-size distribution by, and image analysis by transmission electron microscopy in a soil clay fraction: relationship between, 265
leaching of dissolved phosphorus, adsorption controls, 253
lead
immobilization of, in an acid soil amended with gypsum- and lime-rich industrial by-products, 135
speciation and solubility of, in contaminated soils, 579
leguminous plants: anticlastogenic, antitoxic and sorption effects of humic substances on the mutagen maleic hydrazide tested in, 449
lipid
analyses, improved automated extraction and separation procedure for, 349
extracts, total, from characteristic soil horizons in a podzol profile, 657
lysimeters, free-drainage, simulation of water flow and solute transport in, 229

maleic hydrazide: anticlastogenic, antitoxic and sorption effects of humic substances on, tested in leguminous plants, 449
management
availability and speciation of cadmium added to a calcareous soil under, 123
chemical fractionation to characterize changes in sulphur and carbon in soil caused by, 79
manganese oxides, improved methods for selective dissolution of, from soils and rocks, 47
meadows, semi-natural and created, in the West Midlands of England: factors relating to soil fertility and species diversity in, 335
Mediterranean soils, quantifying the effects of aggregation, particle size and components on the colour of, 551
metal-organic complexes, mobilization of dissolved organic matter, aluminium and iron in podzol eluvial horizons as affected by formation of, 287
metals in urban soils of Sevilla: seasonal changes and relations with other soil components and plant contents, 209
methods, improved, for selective dissolution of manganese oxides from soils and rocks, 47
micro suction cups to measure osmotic potential gradients between bulk soil and rhizosphere at high resolution in time and space, 497
microbial biomass-^{35}S in a calcareous and an acid brown soil, effects of glucose and rhizodeposits (with or without cysteine-S) on, 649
mineral–humic particle additivity model, application of, for partitioning of organic carbon, aluminium and cadmium between solid and solution in soils, 271
mobilization
of aluminium, iron and silicon by *Picea abies* and ectomycorrhizas in a forest soil, 101
of dissolved organic matter, aluminium and iron in podzol eluvial horizons as affected by formation of metal-organic complexes and interactions with solid soil material, 287
model
event-based, of erosion processes, 317
event-based, of rainfall infiltration and surface runoff, 299
new, for the soil-water retention curve, that solves the problem of residual water contents, 479
model-based analysis using REML for inference from systematically sampled data on soil, 799

N_2O
emissions of, from soils during cycles of freezing and thawing and the effects of soil water, texture and duration of freezing, 357
fluxes from farmed peat soils in Finland, 591
nickel, speciation and solubility of, in contaminated soils, 579
Nigeria, free energy and kinetics of dissolution of Sokoto rock phosphate and the implications for replenishing phosphorus in the savanna soil of, 55
nitrous oxide emissions
analysing spatially intermittent variation of, from soil with wavelets, and the implications for sampling, 601
scale- and location-dependent correlation of, with soil properties: an analysis using wavelets, 611
Northeast Thailand, formation of soils with contrasting textures by translocation of clays rather than ferrolysis in flooded rice fields in, 713
Norway spruce stand, clear-cutting of: implications for controls on the dynamics of dissolved organic matter in the forest floor, 401
nuclear magnetic resonance, an investigation of phosphate adsorbed on aluminium oxyhydroxide and oxide phases by, 243

Ooypolder case study: spatial prediction of categorical variables with the Bayesian Maximum Entropy approach, 763
organic carbon, partitioning of, between solid and solution in soils: application of a mineral–humic particle additivity model, 271
organic matter
composition of clay subfractions, changes in, with duration of fertilizer deprivation, 381
fractions in lowland rice soils, quantitative solid-state ^{13}C NMR spectroscopy of, 367
of soil aggregate coatings and biopores, characterizing by Fourier transform infrared spectroscopy, 219
organo-mineral particle-size fractions of a Chernozem, concentrations of fatty acids in, 459
organotin compounds, adsorption and desorption of, in organic and mineral soils, 693
osmotic potential gradients between bulk soil and rhizosphere at high resolution in time and space: micro suction cups and time-domain reflectometry to measure, 497

Palaeozoic sandstones in the northern upper Amazon Basin, a study of an Acrisol–Podzol sequence derived from, 523
particle size, quantifying the effects of, on the colour of Mediterranean soils, 551
particle-size distribution by laser granulometry and image analysis by transmission electron microscopy in a soil clay fraction, relationship between, 265
particle-size fractions of a Chernozem, concentrations of fatty acids in, 459
partitioning of organic carbon, aluminium and cadmium between solid and solution in soils: application of a mineral–humic particle additivity model, 271
peat soils in Finland, fluxes of N_2O from farmed, 591
peat, cation binding by acid-washed, interpreted with Humic Ion-Binding Model VI-FD, 433 [Erratum p. 815]
peroxide oxidation of clay-associated organic matter in a cultivation chronosequence, 471
pH, radio-labile cadmium and zinc in soils as affected by, 113
phosphate
adsorbed on aluminium oxyhydroxide and oxide phases, an investigation of, by nuclear magnetic resonance, 243
dissolved, adsorption controls leaching of, 253
free energy and kinetics of dissolution of Sokoto rock, in the savanna soil of Nigeria, 55
influence of soil composition on adsorption of, by contrasting Danish surface soils, 183
the implications for replenishing, in the savanna soil of Nigeria, 55
physical fractionation techniques, aggregation and carbon storage in silty soil using, 415
Picea abies and ectomycorrhizas in a forest soil, mobilization of aluminium, iron and silicon by, 101
podzol
eluvial horizons, mobilization of dissolved organic matter, aluminium and iron in, as affected by formation of metal-organic complexes and interactions with solid soil material, 287
profile, total lipid extracts from characteristic soil horizons in a, 657
podzolization as a deferralitization process: a study of an Acrisol–Podzol sequence derived from Palaeozoic sandstones in the northern upper Amazon Basin, 523
polycyclic aromatic hydrocarbons (PAHs) from polluted soils, fractionated extraction of: estimation of the PAH fraction degradable through bioremediation, 567
porosity, calibrating soil respiration measures with a dynamic flux apparatus using artificial soil media of varying, 639
primisulfuron, sorption of, on soil, and inorganic and organic soil colloids, 175

quantitative solid-state ^{13}C NMR spectroscopy of organic matter fractions in lowland rice soils, 367

radiocaesium, enhanced sorption and fixation of, in soils amended with K-bentonites and submitted to wetting–drying cycles, 513
radio-labile cadmium and zinc in soils as affected by pH and source of contamination, 113
rainfall infiltration, event-based model of, 299
reduced air pressure, estimation of the thermal separation of soil particles from the thermal conductivity under, 193
Referees for 2003, 429
regolith and soils in Bhutan, Eastern Himalayas, 9

REML, model-based analysis using, for inference from systematically sampled data on soil, 799
residual water contents, a new model for the soil-water retention curve that solves the problem of, 479
rhizodeposits (with or without cysteine-S), effects of, on immobilized-^{35}S, microbial biomass-^{35}S and arylsulphatase activity in a calcareous and an acid brown soil, 649
rice fields in Northeast Thailand, formation of soils with contrasting textures by translocation of clays rather than ferrolysis in flooded, 713
rice soils, quantitative solid-state ^{13}C NMR spectroscopy of organic matter fractions in lowland, 367
runoff and soil loss from bench terraces, 299, 317

savanna soil of Nigeria: free energy and kinetics of dissolution of Sokoto rock phosphate and the implications for replenishing phosphorus in, 55
scale- and location-dependent correlation of nitrous oxide emissions with soil properties: an analysis using wavelets, 611
selective dissolution of manganese oxides from soils and rocks, improved methods for, 47
sequestration of carbon from dung in a temperate grassland soil, role of aggregate surface and core fraction in, 71
Sevilla, metals in urban soils of: seasonal changes and relations with other soil components and plant contents, 209
silicon, mobilization of, by *Picea abies* and ectomycorrhizas in a forest soil, 101
silty soil, aggregation and carbon storage in, using physical fractionation techniques, 415
soil aggregate coatings, characterizing organic matter of, by Fourier transform infrared spectroscopy, 219
soil amended with glucose and nitrate, a model describing the interactions between anaerobic microbiology and geochemistry in, 29
soil fertility in both semi-natural and created meadows in the West Midlands of England: factors relating to, 335
soil invertebrate activity in biological crusts on tropical inselbergs, 539
soil lipid analyses, improved automated extraction and separation procedure for, 349
soil physical properties affected by long-term fertilization, 505
soil pore system, spatial location of carbon decomposition in, 739
soil properties affecting solid–liquid distribution of As(V) in soils, 165
soil respiration measures, calibrating, with a dynamic flux apparatus using artificial soil media of varying porosity, 639
soil texture, effects of, on emissions of N_2O from soils during cycles of freezing and thawing, 357
soil variation, analysing, in two dimensions with the discrete wavelet transform, 777
soil water, effects of, on emissions of N_2O from soils during cycles of freezing and thawing, 357
soils amended with K-bentonites and submitted to wetting–drying cycles: enhanced sorption and fixation of radiocaesium in, 513
soil-water retention curve, a new model for, that solves the problem of residual water contents, 479
Sokoto rock phosphate, free energy and kinetics of dissolution of, in the savanna soil of Nigeria, 55
solid–liquid distribution of As(V) in soils: soil properties affecting, 165
solute transport, simulation of, in free-drainage lysimeters and field soils with heterogeneous structures, 229
sorption and desorption behaviour of acetochlor in surface, subsurface and size-fractionated soil, 671
sorption of primisulfuron on soil, and inorganic and organic soil colloids, 175
spatial location of carbon decomposition in the soil pore system, 739
spatial prediction of categorical variables with the Bayesian Maximum Entropy approach: the Ooypolder case study, 763
speciation of cadmium added to a calcareous soil under various managements, 123
species diversity in both semi-natural and created meadows in the West Midlands of England: factors relating to, 335
sulphur in soil, chemical fractionation to characterize changes in, caused by management, 79
surface reactivity of clay subfractions, changes in, with duration of fertilizer deprivation, 381
surface runoff, event-based model of, 299

temperate grassland soil, role of aggregate surface and core fraction in the sequestration of carbon from dung in, 71
Thailand (Northeast), formation of soils with contrasting textures by translocation of clays rather than ferrolysis in flooded rice fields in, 713
thermal conductivity under reduced air pressure, estimation of the thermal separation of soil particles from, 193
three-dimensional crack monitoring by electrical resistivity measurement, 751
time-domain reflectometry to measure osmotic potential gradients between bulk soil and rhizosphere at high resolution in time and space, 497
transfer-function method for analysing breakthrough data in the time domain of the transport process, 699
translocation of clays: formation of soils with contrasting textures by, rather than by ferrolysis, in flooded rice fields in Northeast Thailand, 713
transmission electron microscopy, image analysis by, and particle-size distribution by laser granulometry in a soil clay fraction: relationship between, 265
transport coefficients in disturbed soils, effect of degree of fluid saturation on, 147
transport process, a transfer-function method for analysing breakthrough data in the time domain of the, 699
tropical inselbergs, soil invertebrate activity in biological crusts on, 539

urban soils of Sevilla, metals in: seasonal changes and relations with other soil components and plant contents, 209

volcanic ash soils from Ecuadorian paramo, water repellency of: effect of water content and characteristics of hydrophobic organic matter, 487

water content, effect of, on water repellency of volcanic ash soils from Ecuadorian paramo, 487
water flow, simulation of, in free-drainage lysimeters and field soils with heterogeneous structures, 229
water infiltration in degraded soils restored with vegetation: eluviation of dissolved organic carbon under wetting and drying and its influence on, 725
water repellency of volcanic ash soils from Ecuadorian paramo: effect of water content and characteristics of hydrophobic organic matter, 487
wavelets
  an analysis using, for scale- and location-dependent correlation of nitrous oxide emissions with soil properties, 611
  analysing spatially intermittent variation of nitrous oxide emissions from soil with, and the implications for sampling, 601
West Midlands of England, factors relating to soil fertility and species diversity in both semi-natural and created meadows in, 335
wetting and drying, eluviation of dissolved organic carbon under, and its influence on water infiltration in degraded soils restored with vegetation, 725
wetting–drying cycles, enhanced sorption and fixation of radiocaesium in soils submitted to, 513

zinc, radio-labile, in soils as affected by pH and source of contamination, 113